

# Fumagri® OPP

Food safety begins in your  
production and storage units

## THE TOOL FOR FIGHTING SALMONELLA AND MYCOTOXIN HAZARDS


### THE PRODUCT

- Bactericidal, fungicidal and virucidal disinfectant with OrthoPhenylPhenol (OPP)
- Dispersion by ULTRADIFFUSION®
- Complies with biocide regulations, use PTO4: disinfection of feed storage and process premises and equipment

### ADVANTAGES

- Demonstrated effectiveness against salmonella, aspergillus and other bacteria, and moulds as well as against following viruses: *Avian influenza virus (H9N2)*, *Newcastle disease*
- Uniform diffusion of the disinfectant
- Dry treatment, no humidity input
- Safe to operators and animals: no humans or animals presence during treatment
- Convenient and fast application
- Non-corrosive

### RESULTS



Required efficacy according to standard NFT 72281: 5 log for bacteria and 4 log for moulds.  
Virus: efficacy threshold: 4 log; Study of Institute of Animal Medicine, College of Veterinary Medicine, Gyeongsang National University, Chinju, Republic of Korea. Director: Hu-Jang Lee, DVM, PhD.

# Fumagri® OPP

Food safety begins in your  
production and storage units

## APPLICATION

### 1 SILO DISINFECTION

- 2 days before feed loading, disinfect with Fumagri® OPP
  - Leave a contact time of 4 hours
  - Repeat operation between each flock
- Before disinfection, check the cleanliness of the silo

Type of silo

8-12 tonnes

Recommended tin size

Fumagri® OPP 20g



### 2 DISINFECTION OF FEED MILLS

| Purpose  | When  | Zone                          |
|--|---|-------------------------------|
| Surfaces disinfection  | <ul style="list-style-type: none"> <li>• After cleaning weekly or monthly depending on microbial pressure</li> </ul>                    | Mixer<br>Press<br>Cooler      |
| Bacteria and moulds elimination                                | <ul style="list-style-type: none"> <li>• Empty cell after cleaning</li> <li>• Systematically when heat treatment of the feed</li> </ul> | Transporter &<br>Storage cell |
| Risk prevention of enterobacteria and mycotoxin contaminations | <ul style="list-style-type: none"> <li>• Empty cell</li> <li>• systematically when heat treatment of the feed</li> </ul>                | Trucks                        |



Pre-dosed tins:

20g - 40g  
120g - 200g  
400g - 1000g

Fumagri® OPP : biocidal use PT03 and PT04, approval. Composition: OrthoPhenylPhenol, Non-corrosive.

Take care when using biocides. Read label and product information before using.

Technical data sheet available on request

design & layout: eretic brand consulting & design – photo credits: ©iStockphoto.com/lvsigns oldgrainsilos maciej noskowski storagesilos